SEQUENCE LISTING

```
<110> Williams, Richard B.
 <120> SYSTEM AND METHODS FOR NUCLEIC ACID AND
   POLYPEPTIDE SELECTION
 <130> PRONOV.001BPC
 <150> 09/859,809
 <151> 2001-05-17
<150> 60/206,016
<151> 2000-05-19
 <150> 60/346,965
 <151> 2001-11-16
 <150> 60/529,331
 <151> 2003-12-12
<150> PCT/US02/37103
 <151> 2002-11-18
 <150>.10/847,087
 <151> 2004-05-17
 <150> 60/625,707
 <151> 2004-11-05
 <150> 10/847,484
 <151> 2004-05-17
 <160> 33
 <170> FastSEQ for Windows Version 4.0
 <210> 1
 <211> 13
 <212> RNA
 <213> Artificial Sequence
 <220>
 <223> Precursor RNA for formation of psoralentated RNA;
    chemically synthesized fragment
<221> modified base
<222> (6)...(6)
<223> n=p
<400> 1
cuagancugg agg
                                                                     13
<210> 2
<211> 13
```

```
<212> RNA
  <213> Artificial Sequence
  <220>
  <223> Furan sided psoralentated RNA fragment; chemically
        synthesized
  <221> misc_feature
  <222> (2) ... (3)
  <223> psoralen bound to UA
  <221> modified_base
  <222> (6)...(6)
  <223> n=p
 <400> 2
 cuagancugg agg
                                                                       13
 <210> 3
 <211> 23
 <212> RNA
 <213> Artificial Sequence
 <22.0>
 <223> Chemically synthesized precursor RNA for
      psoralentated RNA fragment
 <221> misc_feature
 <222> (1) ... (5)
 <223> n=g, a, u, or c
 <221> misc_feature
 <222> (19)...(23)
 <223> n=g, a, u, or c
 <400> 3
nnnnnccucc agaucuagnn nnn
                                                                      23
<210> 4
<211> 23
<212> RNA
<213> Artificial Sequence
<220>
<223> Chemically synthesized psoralentated RNA fragment
<221> misc_feature
<222> (16)...(17)
<223> psoralen bound to UA
<221> misc_feature
<222> (1)...(5)
<223> n=g, a, u, or c
<221> misc_feature
<222> (19)...(23)
<223> n=g, a, u, or c
```

```
<400> 4
   nnnnnccucc agaucuagnn nnn
                                                                        23
   <210> 5
   <211> 13
   <212> RNA
  <213> Artificial Sequence
  <223> Chemically synthesized fragment 2; psoralentated
        RNA fragment
  <221> modified_base
  <222> (6)...(6)
  <223> n=p
  <221> misc_feature
  <222> (13)...(13)
  <223> psoralen bound to G
  <400> 5
 cuagancugg agg
                                                                      13
 <210> 6.
 <211> 30
 <212> DŅA
 <213> Artificial Sequence
 <220>
 <223> chemically synthesized fragment 3; modified tRNA;
       thymine at residue 8 before pseudouridine
 <221> modified_base
 <222> (9)...(9)
 <223> n=p
<221> misc_feature
 <222> (30)...(30)
<223> n=puromycin
<400> 6
uccugugtnc gauccacaga auucgcacen
                                                                     30
<210> 7
<211> 43
<212> DNA
<213> Artificial Sequence
<220>
<223> Chemically synthesized fragment 2+3; modified
      tRNA; thymine at residue 21 before pseudouridine
<221> modified base
<222> (22)...(22)
<223> n=p
```

```
<221> misc_feature
   <222> (43) ... (43)
   <223> n=puromycin
   <221> modified base
   <222> (6)...(6)
   <223> n=p
  <400> 7
  cuagancugg agguccugug tncgauccac agaauucgca ccn
                                                                         43
  <210> 8
  <211> 33
  <212> RNA
  <213> Artificial Sequence
  <220>
  <223> Chemically synthesized fragment 1
  <400> 8
  gcggauuuag cucaguuggg agagcgccag acu
                                                                         33
  <210> 9
  <211> 76.
  <212> DNA
  <213> Artificial Sequence
<220>
 <223> Chemically synthesized fragment 1 + 2 + 3;
        modified tRNA; thymine at residue 54 before
        pseudouridine
 <221> modified_base
 <222> (39)...(39)
 <223> n=p
 <221> modified_base
 \langle 222 \rangle \ (55) \dots (\overline{5}5)
 <223> n=p
 <221> misc_feature
 <222> (76) ... (76)
 <223> n=puromycin
 <221> misc feature
 <222> (35)...(36)
 <223> psoralen binding at UA position
 <400> 9
 gcggauuuag cucaguuggg agagcgccag acucuaganc uggagguccu gugtncgauc 60
 cacagaauuc gcaccn
                                                                        76
 <210> 10
 <211> 32
 <212> RNA
<213> Artificial Sequence
```

```
<220>
    <223> chemically synthesized fragment 1; 3' hydroxyl at
    <400> 10
    gcggauuuag cucaguuggg agagcgccag ac
                                                                         32
    <210> 11
    <211> 8
    <212> RNA
   <213> Artificial Sequence
   <220>
   <223> chemically synthesized fragment 2; psoralentated
   <221> modified_base
   <222> (1)...(1)
   <223> N=p
  <221> modified_base
   <222> (7)...(7)
  <223> N=p
  <400> 11
  ncuaacnc
                                                                       8
  <210> 1:2
  <211> 36
  <212> DNA
  <213> Artificial Sequence
 <220>
 <223> Mixed DNA/RNA chemically synthesized fragment 3
 <221> modified_base
 <222> (15)...(15)
 <223> n=p
 <221> misc_feature
 <222> (36)...(36)
 <223> n=puromycin
 <400> 12
uggagguccu gugtncgauc cacagaauuc gcaccn
                                                                     36
<210> 13
<211> 18
<212> RNA
<213> Artificial Sequence
<223> chemically synthesized modified RNA fragment
<221> modified_base
<222> (4)...(4)
<223> n=p
```

```
<221> modified base
 <222> (11)...(12)
 <223> n=p
 <400> 13
 cccnccagag nnagaccc
                                                                            18
 <210> 14
 <211> 14
 <212> RNA
 <213> Artificial Sequence
 <223> chemically synthesized fragment 2
 <221> modified base
 <222> (7)...(7)
 <223> n=p
<221> modified base
<222> (9)...(9)
<223> n=p
<400> 14
ucuaagneng gagg
                                                                           14
<210> 15
<211> 73
<212> DNA
<213> Artificial Sequence
<223> chemically synthesized; mixed DNA/RNA; alternate
       psoralentated Fragment 1 + 2 + 3
<221> modified_base
\langle 222 \rangle (32) \dots (\overline{3}2)
<223> N-3-methyl uridine
<221> misc_feature
<222> (36)...(37)
<223> psoralen bound to UA
<221> modified_base
<222> (40)...(40)
<223> N=p
<221> modified base
\langle 222 \rangle (42) \dots (\overline{4}2)
<223> N=p
<221> misc_feature
<222> (73) ... (73)
<223> N=puromycin
<400> 15
```

```
gcggauuuag cucaguuggg agagcgccag anuucuaagn cnggaggucc ugugtycgau 60
 ccacagaauu cgn
 <210> 16
 <211> 32
 <212> RNA
 <213> Artificial Sequence
 <223> Chemically synthesized fragment 1 ; 3' hydroxyl at
        terminus
 <400> 16
 gcggauuuag cucaguuggg agagcgccag ac
                                                                         32
 <210> 1.7
 <211> 8
 <212> RNA
 <213> Artificial Sequence
 <220>
 <223> Chemically synthesized fragment 2; 3' hydroxyl at
       terminus
 <221>.modified base
 <222> (1)...(1)
<223> n=p
<221> modified_base
<222> (7)...(7)
<223> n=p
<400> 17
ncuaaanc
                                                                        8
<210> 18
<211> 36
<212> DNA
<213> Artificial Sequence
<223> Chemically synthesized; mixed DNA/RNA fragment 3
<221> modified base
\langle 222 \rangle (15)...(\overline{1}5)
<223> N=p
<221> misc_feature
<222> (36) ... (36)
<223> N=puromycin
<400> 18
uggagguccu gugtncgauc cacagaauuc gcaccn
                                                                        36
<210> 19
<211> 21
<212> RNA
```

<213> Artificial Sequence	
<220>	
<223> Chemically synthesized; modified RNA fragment	
<221> modified base	
$\langle 222 \rangle (9) \dots (1\overline{1})$	
<223> N=p	
<400> 19	
cccccgann nagacccccc c	21
<210> 20	
<211> 26	
<212> RNA <213> Artificial Sequence	
ration in critician peducine.	
<220>	
<223> chemically synthesized; seq A1	
<400> 20	
auauauauau auauauau gggggg	26
<210> 21	
<211> 26	
<212> DNA	
<213> Artificial Sequence	
<220>	
<223> Chemically synthesized; seq A2	
<400> 21	
cccccatat atatatat atatat	26
<210> 22	
<211> 31	
<212> RNA	
<213> Artificial Sequence	
<220>	
<223> Chemically synthesized; seq 1B	
<pre><221> misc_feature</pre>	
<222> (1)(1)	
<223> no phosphorylation on 5' end	
<400> 22	
geggauuuag eucaguuggg agagegeeag a	31
210> 23	
(211> 31	
3212> RNA 3213> Artificial Sequence	
(220)	
223> Chemically synthesized; seq 1B1	

```
<221> misc_feature
  <222> (1)...(1)
  <223> no phosphorylation on 5' end
  <400> 23
  ggggcuuuag cucaguuggg agagcgccag a
                                                                       31
  <210> 24
  <211> 36
  <212> RNA
 <213> Artificial Sequence
 <220>
 <223> Chemically synthesized RNA sequence
 <221> misc_feature
 <222> (35) ... (36)
 <223> crosslinker between residue 35 and 36
 <221> misc_feature
 <222> (36) ... (36)
 <223> phosphorylated
 gcggauuuag cucaguuggg agagcgccag acucua
                                                                      36
 <210> 25
<211> 36 ·
<212> RNA "
 <213> Artificial Sequence
 <220>
<223> Chemically synthesized RNA sequence
<221> misc_feature
<222> (1) ... (1)
<223> hydroxylated
<221> misc_feature
<222> (35)...(36)
<223> crosslinker between residues 35 and 36
<221> misc_feature
<222> (36)...(36)
<223> phosphorylated
<400> 25
ggggcuuuag cucaguuggg agagcgccag acucua
                                                                     36
<210> 26
<211> 61
<212> RNA
<213> Artificial Sequence
<223> Chemically synthesized RNA sequence
```

```
<221> misc_feature
  <222> (59) ... (60)
 <223> crosslinker between residues 59 and 60
 <400> 26
 ggguuaacuu uagaaggagg ucgccaccau gguuaaaaug aaaaugaaaa ugaaaaugua 60
 <210> 27
 <211> 55
 <212> RNA
 <213> Artificial Sequence
 <223> Chemically synthesized RNA sequence M1
 ggguuaacuu uagaaggagg ucgccaccau gguuaaaaug aaaaugaaaa ugaaa
                                                                     55
 <210> 28
 <211> 61
 <212> RNA
 <213> Artificial Sequence
.<220>
<223> Chemically synthesized RNA sequence
<221> misc_feature
 <222> (59)...(60)
 <223> crosslink between residue 59 and 60
<221> misc_feature
 <222> (61) ... (61)
<223> g bound to biotin
<221> misc_feature
<222> (33) ... (34)
<223> n=g, a, u, or c
<400> 28
ggguuaacuu uagaaggagg ucgccaccau ggnnaaaaug aaaaugaaaa ugaaaaugua 60
g
<210> 29
<211> 61
<212> RNA
<213> Artificial Sequence
<223> Chemically synthesized RNA sequence
<400> 29
ggguuaacuu uagaaggagg ucgccaccau gguuaaaaug aaaaugaaaa ugaaaaugua 60
<210> 30
<211> 21
```

```
<212> RNA
  <213> Artificial Sequence
  <223> Chemically synthesized RNA sequence; generic
        version of SEQ ID NO: 19
  <221> misc_feature
  <222> (1) ... (6)
  <223> n=g, a, c, or u
  <221> modified base
  <222> (9)...(11)
  <223> n=p
  <221> misc_feature.
 <222> (15)...(21)
 <223> n=g, a, c, or u
 <400> 30
 nnnnnngann nagannnnnn n
                                                                      21
 <210> 31
 <211>.36.
 <212> DNA
 <213> Artificial Sequence
 <223> Chemically synthesized; mixed DNA/RNA sequence
 <221> misc_feature
 <222> (1)...(1)
 <223> phosphorylated
 <221> misc_feature
 <222> (14) ... (14)
 <223> thymine
<221> modified base
<222> (15)...(15)
<223> n=p
<221> misc_feature
<222> (36) ... (36)
<223> n=puromycin
<400> 31
uggagguccu gugtncgauc cacagaauuc gcaccn
                                                                     36
<210> 32
<211> 36
<212> DNA
<213> Artificial Sequence
<223> Chemically synthesized; Mixed DNA/ RNA sequence
```

```
<221> misc_feature
  <222> (1) ... (1)
  <223> phosphorylated
  <221> misc_feature
  <222> (14)...(14)
  <223> thymine
  <221> modified base
  <222> (15)...(15)
  <223> n=p
  <221> misc_feature
  <222> (36) ... (36)
  <223> puromycin attached at 3' end
  <400> 32
  uggagguccu gugtnegauc cacagaaucu ccacca
                                                               36
  <210> 33
  <211> 72
  <212> DNA
<213> Artificial Sequence
 <223> mixed DNA/RNA chemically synthesized primer for
 SARS-CoV genome sequence
<221> modified base
                                                   . .
                                                           <222> (32)...(32)
 <223> N-3-methyl uridine
 <221> misc_feature
 <222> (35)...(36)
 <223> psoralen bound to UA
 <221> modified_base
 <222> (39)...(39)
 <223> p
 <221> modified base
 \langle 222 \rangle (41) \dots (\overline{4}1)
 <223> p
 <221> misc feature
 <222> (72)...(72)
 <223> n=puromycin
 <400> 33
 geggauuuag cucaguuggg agagegeeag anucuaagne nggaggueeu gugtyegaue 60
 cacagaauuc qn
                                                              72
```